



PROFESSIONAL

GOLF 275



Lifejacket level 275



GOLF 275

Proven 275N universal health and safety lifejacket for use at work and around water.

A proven product for all uses in commercial areas of inland waterways or sea-going industries. Thanks to its compact construction, the wearing of the lifejacket is barely noticeable and guarantees optimum freedom of movement.

Once inflated, the 275N of buoyancy is automatically held in the correct position by the back strap and because the buoyancy chamber and protective cover are detachable, servicing is made much easier and the cover can be easily replaced.



SPECIFICATION

General technical data	
Type:	GOLF 275
Part No.:	11513
Approval:	EN ISO 12402-2
Buoyancy:	approx. 280 N
Colour:	Dark blue
Weight:	approx. 1.1 kg
CO ₂ -Cartridge:	56 g CO ₂ -Cartridge
Size:	40 kg to 120 kg body weight 85 cm to 120 cm chest measurement
Temperature range:	Storage: -54 °C to +70 °C Operation: -10 °C to +70 °C
Geographical range:	unlimited*
Application:	Inflatable universal lifejacket suitable for Water Board Authorities, Police, Customs, Inland Waterways, Lock Keepers, Hydraulic Engineering, Dredging, Underground Engineering, Sewage Works, Stevedores, Dock Workers, Pilots.
* to protect the SECUMAR Pill/Pill-Box against premature disintegration caused by high atmospheric humidity/temperature SECUMAR highly recommends to adapt the changing interval to these specific areas. The standard interval should be shortened to an appropriate period.	

Protective Stole			
Integrated Safety Harness acc. to EN ISO 12401:	–	Colour:	Dark blue
Material:	Polyamide fabric	Closed with:	Velcro tape
Adjustment waist belt:	1 lateral slider	Buckle:	SECUMAR Click-Buckle, 30 mm
Lifting becket (3.2 kN):	•	Back strap:	Single, adjustable
Window:	–	Pocket for accessories:	–
Service-Zipper:	–	Pocket for nametag:	–
<p>Characteristics:</p> <p>With the patented SECUMAR CLICK-buckle the donning and doffing of the lifejacket is very easy – even with cold fingers and gloves. Put on like a jacket and then close the buckle like a seat belt.</p> <p>The outer cover of the SECUMAR GOLF 275 is a separate part of the lifejacket and can be detached from the buoyancy chamber so that it can be easily replaced if necessary.</p> <p>Compact construction and therefore unobtrusive and comfortable to wear so that it is barely noticeable in use.</p> <p><u>Variant with SPR outer cover:</u> Special outer protective cover for use in areas that fall outside the normal range of conditions. Fire fighters and technical support teams, as well as certain working groups such as welders who need special heat resistant equipment.</p> <p>High heat exposure, heavy mechanical wear, paint and oil contamination, sparks and hot metal particles are just some of the dangers that are withstood by the SPR Outer Cover.</p> <p><u>Variant with NEON outer cover:</u> Fluorescent yellow with extra retro-reflective strips offers higher safety through extra visibility, particularly in areas of high traffic, such as harbours. The PU coated material is easy to clean.</p> <p><u>FR AC variants:</u> life jacket with anti-static and flame retardant properties. EN 1149-3 and EN ISO 14116 Index 1.</p> <p><u>HV variants:</u> life jacket suitable for fire fighters.</p>			

Buoyancy chamber			
Design:	Standard	Colour:	Orange
Oral valve:	•	Retro reflecting tape:	400 cm ² (Material: 3M®)
Material:	Polyurethane-coated polyamide fabric	Overpressure valve:	–
Pocket for transmitter:	–		

• Standard/◦ Optional/– Not available

Inflation device

Operation:	Automatic activation upon the SECUMAR Pills coming into contact with water.
Type:	SECUMATIC 3001S
Indicator:	3 Indicators
Characteristics:	Torque safe tying system (Positorque®) prevents from unintended loosening of the CO ₂ -cartridge by means of vibration and shock. Three indicators offer an easy possibility of control and inspection before every use: SECUMAR Pill is inserted, CO ₂ -cartridge is fitted correctly and activation lever is secured.

Equipment

Sprayhood:	–	Crutch strap:	o
Distress light:	o	CO ₂ -Cartridge:	56 g CO ₂ -Cartridge
Neck fleece:	–	Buddy Line:	–
Transmitter:	–	Signal whistle:	•
Lifeline:	–	Instructions, multi-language:	•
Characteristics:	The service label on the waist belt shows you at a glance when your lifejacket should be serviced again by the SECUMAR service.		

Model variants

			
GOLF 275 SPR (P/N: 13039)	GOLF 275 neon (P/N: 15056)	GOLF 275 FR AC (P/N: 15222)	GOLF 275 HV ALU (P/N: 13996)

Optional Equipment/ Spare parts

			
56 g CO ₂ -Cartridge AUTO (P/N: 929)	Distress light SECULUX CFX-II (P/N: 12947)	Crutch strap 2K Click 30 (P/N: 14693)	Manual Override 3001S (P/N: 12077)

• Standard/o Optional/– Not available

08/2014

CE CE: PPE in conformance with Directive 89/686/EWG, type-approved to EN standards and/or DIN EN ISO 12402



SECUMAR is a member of the Emergency Sea Rescue Equipment Trade Federation (FSR), a union of suppliers and importers of all water rescue equipment. For further information, see www.fsr.de.



Bernhardt Apparatebau GmbH u. Co.
Lifesaving Equipment for Sea and Air
PO Box 1190 · 25487 Holm, Germany
Tel.: +49 4103 125 – 0
Fax: +49 4103 125 – 100
www.secumar.com

