



Bombard

SUNRIDER™




RANGE

RIGID-HULL INFLATABLE



EXPLORER™
STRONG &
POWERFUL



SUNRIDER™
ELEGANT AND
FUNCTIONAL

FOLDABLE



FROM 3,8 M TO 4,7 M



FROM 3,1 M TO 4,7 M

COMMANDO™
STURDY &
PRECISE



TYPHOON™
SIMPLE AND
EFFICIENT

ELEGANT AND FUNCTIONAL




The Sunrider range offers the best value for money on the market. It optimizes your time on the water as you embark on an adventure with family and friends.

The versatile equipment and personalized arrangements allow for comfort and ease as you move around the boat. The numerous storage compartments make this an extremely functional boat for all to enjoy!

THE PROS

- ✦ Ultra comfortable navigation thanks to its deep V-shaped hull
- ✦ Large storage capacity for long day trips
- ✦ Optional equipment to adapt to your nautical needs
- ✦ Integrated tank under the deck
- ✦ Choice of buoyancy tube :
 - in Strongan™ Duotex™ or in Hypalon™ Néoprène™
 - 2 choices of colors :  light grey or black
- ✦ Choice of color for the upholstery:  Light grey, Pebble, Fire


RANGE

	500	550	650	700
 (m-f)	5,00 16'5"	5,50 18'1"	6,35 20'10"	6,90 22' 8"
 (m-f)	2,10 6'11"	2,18 7'2"	2,45 8'0"	2,54 8' 4"
 (kg-lbs)	310 682	350 772	470 1036	820 1808
 (max)	9	11	13	16
 (max)	70 hp	90 hp	150 hp	250 hp
 (l-gal)	54 14	77 20	77 20	200 53

3 YEAR
warranty*



500



550



650



700

*See the conditions of application with your distributor.

STANDARD EQUIPMENT

HULL

- Deep-V fiberglass hull
- Molded nonslip deck
- One bow ring
- Two stern mooring cleats
- Two stern towing rings
- Access hatch to engine well
- One drain for flushing
- One hull drain hole and plug

BUOYANCY TUBE


- Strongan™ Duotex™ Fabric 2x1100 decitex (500-550-650), assembled by thermobandage welding. Hypalon™ Néoprène™ option.
- Easy push valve
- Polyamide lashing: exclusive new design
- PVC bow cleat
- Cone reinforcements

OTHER

- 1 central tilting console with: steering wheel, hub and cable, windshield, handrail, front console seat
- 1 separator water / fuel
- 1 bow locker
- 1 seat & locker at the stern
- Two paddles
- One air-pump
- One maintenance tool kit
- One owner's manual
- Swimming ladder

LARGE CHOICE OF COLOR

Customize your boat to reflect your personal taste by choosing the color of your buoyancy tube and your upholstery (only 1 color). See page 12



SUNRIDER™

A WIDE COLORS RANGE

Upholstery equipment is available in three different colors: Fire Red, Pebble Beige, and Light Grey. This flexibility allows you to customize your individual Sunrider.

Additionally, you have a wide range of equipment to modify your boat to your specific requirements. Ask your dealer about the variety of choices for your specific boat.

SEATING AND SUNBATHING



**Table kit + sunbathing ext.
Fire**



**Table kit + sunbathing ext.
Light Grey**



**Table kit + sunbathing ext.
Pebble**



Backrest + cushion Fire



Backrest + cushion Light Grey



Backrest + cushion Pebble



**Front sunbathing extension
Fire**



**Front sunbathing extension
Light Grey**



**Front sunbathing extension
Pebble**




Hecksonnendeck Kit Fire



**Hecksonnendeck Kit
Light Grey**



Hecksonnendeck Kit Pebble



Rear square seat Fire/Pebble/ Light Grey

OTHER



Rear square picnic table



Bimini



EVA deck



Ski mast



Stern ladder kit



Roll Bar



Roll bar 700

EQUIPMENT



	Ref.	500	550	650	700
Table kit + sunbathing ext.	Z61839FIR	■			
	Z61840FIR		■		
	Z61841FIR			■	
	Z61842FIR				■
Table kit + sunbathing ext. Pebble	Z61839PBL	■			
	Z61840PBL		■		
	Z61841PBL			■	
	Z61842PBL				■
Table kit + sunbathing ext. Light Grey	Z61839LGR	■			
	Z61840LGR		■		
	Z61841LGR			■	
	Z61842LGR				■
Rear square picnic table	Z67635				■
Rear sunbathing kit Light Grey/ Pebble/Fire	Z61847				■
	Z61848				■
	Z61849				■
Ski mast	Z61242	■	■	■	
Roll Bar	Z1167	■	■	■	
Roll Bar Sun 700	Z61440				■
Turboswing	Z61543				■
Bimini	Z1088	■	■		
	Z61113			■	
	Z61620				■
EVA deck	Z62387	■			
	Z62388		■		
	Z62389			■	
	Z62390				■
Backrest + cushion Fire	Z67860FIR	■			
	Z67861FIR		■		
	Z67862FIR			■	
	Z67863FIR				■
Backrest + cushion Pebble	Z67860PBL	■			
	Z67861PBL		■		
	Z67862PBL			■	
	Z67863PBL				■
Backrest + cushion Light Grey	Z67860LGR	■			
	Z67861LGR		■		
	Z67862LGR			■	
	Z67863LGR				■
front sunbathing extension Fire/ Pebble/Light Grey	Z61849				■
	Z61848				■
	Z61847				■
Stern ladder kit	Z61834	■	■	■	■
Rear square seat Fire/Pebble/Light Grey	Z61850			■	
	Z61851			■	
	Z61852			■	

TECHNICAL SPECIFICATIONS



TYPHOON					COMMANDO		
310 AERO	310 ALU	360 ALU	420 ALU	470 ALU	C3	C4	C5

Dimensions (meters – feet)

Length overall	3,1 - 10'2"	3,1 - 10'2"	3,6 - 11'10"	4,2 - 13'9"	4,7-15'5"	3,8 - 12'6"	4,3 - 14'1"	4,7 - 15'5"
Inside length	1,94 - 6'4"	1,94 - 6'4"	2,33 - 7'8"	2,8 - 9'2"	3,35-10'12"	2,5 - 8'2"	3 - 9'10"	3,2 - 10'6"
Width overall	1,62 - 5'4"	1,62 - 5'4"	1,74 - 5'9"	1,9 - 6'3"	1,9-6'3"	1,75 - 5'9"	1,75 - 5'9"	1,9 - 6'3"
Inside width	0,79 - 2'7"	0,79 - 2'7"	0,88 - 2'11"	0,92 - 3'0"	0,92-3'0"	0,84 - 2'9"	0,84 - 2'9"	0,9 - 2'11"
Buoyancy tube diameter	0,42 - 1'5"	0,42 - 1'5"	0,43 - 1'5"	0,49 - 1'7"	0,49-1'7"	0,455 - 1'6"	0,455 - 1'6"	0,5 - 1'8"

Capacity

Number of passengers (ISO)	4	4	5	7	8	6	7	9
Maximum authorized payload (kg – lbs.)	500 - 1102	500 - 1102	600 - 1322	750 - 1653	900-1984	750 - 1654	870 - 1918	1150 - 2535
Total weight (kg – lbs.)	39 - 86	45 - 99	64 - 141	85 - 187	110-243	98 - 216	109 - 240	128 - 282
Number of airtight compartments	3+1+1	3+1	3+1	5+1	5+1	3	3	4
Design categories	C	C	C	C	C	C	C	C

Engine

Transom length : Short ● Long ■ Extra long X	●	●	●	●	■	●	●	■
Average recommended power (Hp)	5	8	15	15	30	25	30	40
Average recommended power (kW)	4	6	12	12	23	19	23	30
Maximum allowed power (Hp)	8	10	20	25	40	40	50	60
Maximum allowed power (kW)	6	8	15	19	30	30	38	45
Maximum allowed weight of engine (kg-lbs)	42 - 92	52 - 114	52 - 114	72 - 158	72 - 158	98 -216	109 - 240	128 - 282
Maximum speed in mono (km/h – mph)	26 - 16	31 - 19	38 - 24	40 - 25	54-34	56 - 35	59 - 37	60 - 37

Volume (in meters)

Length of hull / 1st bag : buoyancy	1,15	1,15	1,2 - 3'11"	1,3 - 4'3"	1,42-4'8"	1,15 - 3'9"	1,2 - 3'11"	1,3 - 4'3"
Width of hull / 1st bag : buoyancy	0,60	0,6	0,67 - 2'2"	0,75 - 2'6"	0,77-2'6"	0,55 - 1'10"	0,55 - 1'10"	0,54 - 1'9"
Height of hull / 1st bag : buoyancy	0,32	0,32	0,3 - 0'12"	0,3 - 0'12"	0,32-1'1"	0,3 - 0'12"	0,3 - 0'12"	0,32 - 1'1"
Length of the 2nd floor bag	-	NC	1,12 - 3'8"	1,2 - 3'11"	1,2-3'11"	0,98 - 3'3"	0,98 - 3'3"	1,28 - 4'2"
Width of the 2nd floor bag	-	NC	0,77 - 2'6"	0,8 - 2'8"	0,8-2'7"	0,55 - 1'10"	0,55 - 1'10"	0,66 - 2'2"
Height of the 2nd floor bag	-	NC	0,15 - 0'6"	0,16 - 0'6"	0,16-0'6"	0,15 - 0'6"	0,15 - 0'6"	0,22 - 0'9"
Hull angle								




EXPLORER					SUNRIDER			
420	500	550	600	700	500	550	650	700

4.2 - 13' 9"	5,01 - 16'4"	5,5 - 18'1"	5,98 - 19'8"	7 / 22' 8"	5 - 16'5"	5,5 - 18'1"	6,35 - 20'10"	7 / 22' 8"
2.90 - 9'6"	3,6 - 11'10"	4,1 - 13'5"	4,47 - 14'8"	5,71 / 18' 9"	3,77 - 12'4"	4,2 - 13'9"	4,8 - 15'9"	5.71 / 18' 9"
1.90 - 6'3"	2,08 - 6'10"	2,18 - 7'2"	2,47 - 8'1"	2.54 / 8' 4"	2,1 - 6'11"	2,18 - 7'2"	2,45 - 8'0"	2.54 / 8' 4"
0.95 - 3'1"	1,08 - 3'7"	1,18 - 3'10"	1,37 - 4'6"	1.39 / 4'7"	1,1 - 3'7"	1,22 - 4'0"	1,35 - 4'5"	1.39 / 4'7"
0.455	0,5 - 1'8"	0,5 - 1'8"	0,55 - 1'10"	0.575 / 1'11"	0,5 - 1'8"	0,5 - 1'8"	0,55 - 1'10"	0.575 / 1'11"

7	10	14	13	5/16	9	11	5/13	5/16
780	1085 - 2392	1230 - 2712	1580 - 3483	1960 - 4321	1060 - 2337	1157 - 2551	1600 - 3527	1960 - 4321
165 - 364	240 - 528	280 - 617	390 - 860	820 - 1808	310 - 682	350 - 772	470 - 1036	820 - 1808
3	5	5	5	5	5	5	5	5
C	C	C	C	B / C	C	C	C	B / C

■	■	■	×	×	■	■	■	×
30	50	70	90		50	70	90	
	37	53	68			53	68	
50	70	90	150	250*	70	90	150	250
	53	68	112	147,2		68	115	147,2
	59 - 37	68 - 42	84 - 52	77 / 48	58 - 36	67 - 42	78 - 49	77 / 48

3,63 - 11'9"	4,08 - 13'5"	4,63 - 15'2"	5,21 - 17'1"	6,06 - 19'8"	4,04 - 19'8"	4,6 - 15'1"	5,4 - 17'9"	6,06 - 19'8"
1,24 - 4'0"	1,36 - 4'6"	1,42 - 4'8"	1,96 - 6'5"	1,85 - 6'0"	1,28 - 6'0"	1,41 - 4'8"	1,73 - 5'8"	1,85 - 6'0"
0,69 - 2'2"	0,75 - 2'6"	0,8 - 2'8"	1,3 - 4'3"	1,2 - 3'9"	1,66 - 3'9"	1,7 - 5'7"	1,73 - 5'8"	1,2 - 3'9"
19°	22°	27°	20°	24°	22°	26°	21°	24°



The maximal authorized load was computed according to the ISO norm.

This document may make references to registered trademarks from other companies. Such references are purely indicative and do not constitute any commitment. In a constant search for better products, Bombard reserves the right to change or improve the conception or definition of its products at any time, without prior notice and without retroactive effect on the boats built previously.

This document cannot be considered as a contractual document. Non-contractual pictures.

TYPHOON™ tenders: 2 years guarantee
 COMMANDO™, EXPLORER™, SUNRIDER™: 3-year guarantee under certain conditions. Guarantee extensions are available depending on the products and the geographical area. Information available at your reseller and on bombard.com

Z Nautic reserves the right to modify the characteristics of its products without prior notice (tolerance +/- 3% on dimensions, +/- 5% on weight and speed).

Non-contractual pictures.

Bombard™ is a registered trademark – Copyright
 Bombard™, Z Nautic SAS with a capital of 7,095,000€ - SIRET 812 206 340 000 26 APE 4778C
 - SIREN 812 206 340 - RCS TOULOUSE VAT N° 81 812 206 340. 2, Chemin de la Val Priout.
 31450 AYGUESVIVES - FRANCE.

*Possible twin-engine, contact your dealer

Bombard

www.bombard.com